

ASSIGNED

AMENDED

NO. 57716

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office MAY 29 1992
Returned to applicant for correction JUN 24 1992
Corrected application filed JUL 16 1992
Map filed JUL 16 1992 under 57681

The applicant **Topaz Mutual Company, Inc.**, hereby make application for permission to change the **place of use of a portion** of water heretofore appropriated under **Permit 25729**

1. The source of water is **underground**
2. The amount of water to be changed **3.0 cfs**
3. The water to be used for **Quasi-Municipal (subdivision and domestic)**
4. The water heretofore permitted for **Quasi-Municipal (subdivision and domestic)**
5. The water is to be diverted at the following point **within the NW¹/₄ NW¹/₄, Section 9 T10N, R22E MDB&M or at a point from which the NW corner of said Section 9 bears N 77°54'09" W a distance of 939.23 feet**
6. The existing permitted point of diversion is located within **unchanged**
7. Proposed place of use **E¹/₂ SE¹/₄ Sect 5, E¹/₂ NE¹/₄, NE¹/₄ SE¹/₄ Sect 8, all of Sect 9, all of Sect 10, N¹/₂ NW¹/₄ Sect 14 lying N of State Route 3, NW¹/₄, NE¹/₄, N¹/₂ SW¹/₄ Sect 15 all lying N of State Rt. 3, NW¹/₄, NE¹/₄, SW¹/₄, SE¹/₄ lying North of State Rt. 3 all in Sect 16, S¹/₂ SW¹/₄ Sect 1, NW¹/₄, N¹/₂ SW¹/₄, SW¹/₄ NE¹/₄, NW¹/₄ SE¹/₄ Sect 12 and S¹/₂ SW¹/₄, S¹/₂ SE¹/₄, NE¹/₄ SE¹/₄ Sect 12 all lying North of State Rt 3, T10N, R22E, MDB&M**
8. Existing place of use **E¹/₂ SE¹/₄ Sect 5, E¹/₂ NE¹/₄, NE¹/₄ SE¹/₄ Sect 8, all of Sect 9, NW¹/₄, NE¹/₄, N¹/₂ S¹/₂ and all portion S¹/₂ S¹/₂ lying North of State Rt. 3 in Sect 16, NW¹/₄, N¹/₂ NE¹/₄ and portions of N¹/₂ SW¹/₄ and S¹/₂ NE¹/₄ North of State Rt. 3 in Sect 15 and portions N¹/₂ NW¹/₄ lying North of State Rt. 3 in Section 14 all in T10N, R22E MDB&M.**
9. Use will be from **Jan 1 to Dec 31** of each year.
10. Use was permitted from **Jan 1 to Dec 31** of each year.
11. Description of proposed works **Well, pumps, storage tanks, distribution system**
12. Estimated cost of works **\$15,000.00**
13. Estimated time required to construct works **2 yrs**
14. Estimated time required to complete the application of water to beneficial use **5 yrs**

15. Remarks: This application is to expand the place of use for the remainder of water under this base right. Application 57683 proposes to change POD & POU of the rest of the base right. See Apps 57681-86.

Topaz Mutual Co., Inc.
By s/Virgie S. Arden, Pres
3600 Reno Park Blvd
Reno, Nev. 89506

Compared dl/ cmf cmf/ds

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the place of use of a portion of the waters of an underground source as heretofore granted under Permit 25729 is issued subject to the terms and conditions imposed in said Permit 25729 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 28779, 28781, 57681, 57682, 57683, 57684, 57685, 57686 and 57716 shall not exceed 290.5 million gallons annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 3.0 cubic feet per second, but not to exceed 48.92 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

March 2, 2003

Proof of completion of work shall be filed before:

April 2, 2003

Water must be placed to beneficial use on or before:

March 2, 2006

Proof of the application of water to beneficial use shall be filed on or before:

April 2, 2006

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 2nd day of, March A.D. 2001



State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____